

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/849,523	05/20/2004	Yoshinori Uzuka	1075.1263	5577
21171 7	590 10/05/2005		EXAMINER	
STAAS & HALSEY LLP			NINO, ADOLFO	
SUITE 700 1201 NEW YORK AVENUE, N.W.			ART UNIT	PAPER NUMBER
WASHINGTO	N, DC 20005		2831	·
			DATE MAILED: 10/05/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/849,523	UZUKA ET AL.			
		Examiner	Art Unit			
		Adolfo Nino	2831			
	The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SH WHIC - Exter after - If NO - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATES as ions of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication.  Period for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, eply received by the Office later than three months after the mailing and patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim rill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONED	I.  lely filed  the mailing date of this communication.  O (35 U.S.C. § 133).			
Status						
1)⊠	Responsive to communication(s) filed on <u>02 Se</u>	eptember 2005.				
· —	This action is <b>FINAL</b> . 2b) ☐ This action is non-final.					
3)□	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Dispositi	on of Claims					
5)□ 6)⊠ 7)⊠	4) ☐ Claim(s) 1-21 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration.  5) ☐ Claim(s) is/are allowed.  6) ☐ Claim(s) 1,2,4,6,8,10-15,17-19 and 21 is/are rejected.  7) ☐ Claim(s) 3,5,7,9,16 and 20 is/are objected to.  8) ☐ Claim(s) are subject to restriction and/or election requirement.					
Applicati	on Papers					
9)□ 10)⊠	The specification is objected to by the Examine. The drawing(s) filed on 20 May 2004 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction to the oath or declaration is objected to by the Ex	☑ accepted or b)☐ objected to be drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority u	ınder 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>						
2) Notice Notice 3) Information	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		(PTO-413) ite atent Application (PTO-152)			
Pape	Paper No(s)/Mail Date 6)					

Application/Control Number: 10/849,523

Art Unit: 2831

### Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1, 2, 10, 11, 13-15, 17-19 and 21 are rejected under 35 U.S.C. 102(b) as being anticipated by Huffman (US 4,480,289).

Regarding claim 1, Huffman discloses a spacer (10, 12) for attaching onto a printed wiring board (2) to which is fixed an electronic component (4) having a component package, on one of whose surfaces a connection terminal (6, 6') is arranged, said spacer (10, 12) comprising an elastic member (12) with no ends thereof (fig. 2), said elastic member (12) being detachably attached to the printed wiring board in such a way as to enclose the electronic component to seal a gap between the electronic component and the printed wiring boar and said elastic member being attached to and detached from the printed wiring board by exploiting elastic deformation of said elastic member.

Regarding claim 2, Huffman discloses a spacer (10, 12) as set forth in claim 1, wherein said elastic member (12) has a frame-like shape (fig. 2) with an inner outline which is similar in shape to an outline of the component package (fig. 2), and is smaller in length than the outline of the component package (fig. 2), and is thinner than the gap between the electronic component and the printed wiring board (fig. 2).

Regarding claim 10, Huffman discloses a spacer (10, 12) as set forth in claim 1, wherein said elastic member (12), while in contact with the printed wiring board (2), is attached around the component package by pressure due to the elastic deformation of said elastic member (col. 3).

Regarding claim 11, Huffman discloses a spacer (10, 12) as set forth in claim 10, wherein said elastic member (12) has a cross-sectional shape with a projecting portion (part of 10) thereof, which projects into the gap between the electric component and the printed wiring board when said elastic member is attached to the printed wiring board (fig. 1).

Regarding claim 13, Huffman discloses a printed circuit board (2), comprising: an electronic component (4) having a component package (4), on one of whose surfaces a connection terminal is arranged (fig. 1); a printed wiring board (2) to which said electronic component (4) is fixed; and a spacer (10, 12) formed as an elastic member (col. 3) with no ends thereof detachably attached to said printed wiring board in such a way as to enclose said electronic component to seal a gap between said electronic component and said printed wiring board (fig. 2), said elastic member (12) being attached to and detached from said printed wiring board by exploiting elastic deformation of the elastic member (col. 3).

Regarding claim 14, Huffman discloses a printed circuit board (2) as set forth in claim 13, wherein the elastic member (12) has a frame-like shape (fig. 1) with an inner outline which is similar in shape to an outline of the component package (fig. 1), and is

smaller in length than the outline of the component package, and is thinner than the gap between the electronic component and said printed wiring board (fig. 1).

Regarding claim 15, Huffman discloses a printed circuit board (2) as set forth in claim 13, wherein the elastic member (12), while in contact with said printed wiring board (fig. 1), is attached around the component package by pressure due to the elastic deformation of the elastic member (col. 3).

Regarding claim 17, Huffman discloses an electronic equipment (fig. 1), comprising a printed circuit board (2) which includes: an electronic component (4) having a component package, on one of whose surfaces a connection terminal is arranged; a printed wiring board (2) to which the electronic component is fixed (figs. 1, 2); and a spacer (10, 12) formed as an elastic member (col. 3) with no ends thereof detachably attached to the printed wiring board in such a way as to enclose the electronic component to seal a gap between the electronic component and the printed wiring board (fig. 1), the elastic member (12) being attached to and detached from the printed wiring board by exploiting elastic deformation of the elastic member.

Regarding claim 18, Huffman discloses an electronic equipment as set forth in claim 17, wherein the elastic member (12) has a frame-like shape with an inner outline which is similar in shape to an outline of the component package (fig. 1), and is smaller in length than the outline of the component package (fig. 1), and is thinner than the gap between the electronic component and the printed wiring board (fig. 1).

Regarding claim 19, Huffman discloses an electronic equipment as set forth in claim 17, wherein the elastic member (12), while in contact with the printed wiring

Art Unit: 2831

board, is attached around the component package by pressure due to the elastic deformation of said elastic member (col. 3).

Regarding claim 21, Huffman discloses an apparatus comprising: an electronic component (4); a printed wiring board (2) from the electronic component to form a gap therebetween; and a spacer (10, 12) selectively attached to the printed wiring board by an elastic deformation thereof to seal the gap.

### Allowable Subject Matter

Claims 3-9, 12, 16 and 20 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

The following is a statement of reasons for the indication of allowable subject matter:

With respect to claims 3, 5, 7 and 9, the cited prior art does not disclose, teach or suggest, alone or in combination, a spacer comprising an elastic member with no ends thereof having a frame-like shape, and wherein the frame-like shape has a pair of hook portions for projecting into the gap between an electronic component and a printed wiring board, the hook portions being provided on the inner outline of the frame-like shape to oppose to each other.

With respect to claims 4, 6 and 8, the cited prior art does not disclose, teach or suggest, alone or in combination, the combination therein of a spacer comprising an elastic member with no ends thereof having a frame-like shape, wherein the frame-like

Application/Control Number: 10/849,523 Page 6

Art Unit: 2831

shape has an outer outline greater in length than the outline of a component package, and wherein the frame-like shape has at least one slit thereon extending from the inner outline toward the outer outline of the frame-like shape (this combination found in claims 4 and 5).

With respect to claim 12, the cited prior art does not disclose, teach or suggest, alone or in combination, a spacer comprising an elastic member, and wherein the frame-like shape has a catch protrusion on its inner outline, which catch protrusion protrudes into the gap between an electronic component and a printed wiring board.

With respect to claim 16, the cited prior art does not disclose, teach or suggest, alone or in combination, a printed circuit board, comprising: a spacer formed as an elastic member, and wherein the frame-like shape has a catch protrusion on its inner outline, which catch protrusion protrudes into the gap between an electronic component and the printed wiring board.

With respect to claim 20, the cited prior art does not disclose, teach or suggest, alone or in combination, an electronic equipment, comprising a printed circuit board which includes a spacer formed as an elastic member with no ends thereof having a frame-like shape, and wherein the frame-like shape has a catch protrusion on its inner outline, which catch protrusion protrudes into the gap between an electronic component and the printed wiring board.

#### Conclusion

Art Unit: 2831

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Loo et al. (US 5,648,890) disclose an upgradeable multi-chip module. Sato et al. (US 4,894,706) disclose 3-D packaging.

Note that the finality of Office Action filed on 6/2/05 is being withdrawn.

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

## Response to Arguments

Applicants' arguments, see page 7 of the REMARKS section of Amendment, filed 9/2/05, with respect to the rejection(s) of claim(s) 1 have been fully considered but they

are not persuasive. The Examiner respectfully traverses Applicants' argument that the mounting ring 10 and the O-ring 12 of Huffman do not disclose the limitations of claim 1. Claim 1 claims a spacer (i.e. mounting ring 10 and the O-ring 12 of Huffman), said spacer (10, 12) comprising an elastic member (12) with no ends thereof. Hence, Huffman do meet all the recited limitations of claim 1.

Applicants' arguments with respect to dependent claim 3 have been fully considered and are persuasive. The rejection of claims 3, 12, 16 and 20 has been withdrawn. Note that the Examiner withdrew the rejection of claims 12, 16 and 20 based on Applicants' argument of claim 3, because claims 12, 16 and 20 contain the same allowable subject matter of claim 3. The Examiner agrees with the Applicants' argument that the mounting ring 10 of Huffman has a constant radius, and therefore is not a hook portion. The Examiner would further point out that since only reference 12 is the elastic member and this member also has a constant radius, then it too cannot have a hook portion.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Adolfo Nino whose telephone number is (571) 272-1981. The examiner can normally be reached on M-F (7:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dean A. Reichard can be reached on (571) 272-2800 ext. 31. The fax

Application/Control Number: 10/849,523 Page 9

Art Unit: 2831

phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AN

DEAN A. REICHARU FRVISORY PATENT EXAMINER

TECHNOLOGY CENTER 2800